

# **International Corporation**

Contact:

Telephone/ Fax:

## Material Safety Data Sheet

# HS

Issue Date: 10/20/16

### **SECTION I - PRODUCT AND COMPANY INFORMATION**

Product Name: Hydraulic Sealant

Product Type: Anaerobic Adhesive/ Sealant
Part Numbers: 26921/ 26931/ 26941/ 26943
Hazard Rating: Health: 1 Fire: 1 Reactivity: 01

Company Identification: SAF-T-LOK International Corporation

300 EISENHOWER LANE NORTH

LOMBARD, IL 60148 Helen Champagne (630) 495-2001 Hour): (703) 527-3887

Emergency Phone (24 Hour): (703) 527-3887 Chemtrec (24 Hour): (800) 424-9300

Preparer: Ind. Hygiene Department

Internet: www.saftlok.com

Product Class: Mixture
DOT Hazard Class: N/A
Shipping Name: Unrestrict

Shipping Name: Unrestricted

### SECTION II - INGREDIENT AND HAZARD INFORMATION

CAS# Components Percent Polyglycol dimethacrylate 109-16-0 60-90 Polyethylene glycol 20-40 25322-68-3 Silica, amorphous fumed 112945-52-5 1-5 Saccharin 81-07-2 1-5 Cumene hydroperoxide 80-15-9 0.1-5

#### SECTION III - HAZARD IDENTIFICATION AND EMERGENCY OVERVIEW

## **EMERGENCY OVERVIEW**

Physical appearance: Liquid <u>HMIS</u>

Physical color: Brown Health: 1
Odor: Mild / Inoffensive Flammability: 1
Reactivity: 1
Personal Protection: B

**WARNING**; MAY CAUSE: EYE IRRITATION

SKIN IRRITATION

RESPIRATORY TRACT IRRITATION
MAY IRRITATE EXISTING ALLERGIC SKIN CONDITIONS

Page 1 of 4 Product: Hydraulic Sealant

Relative routes of entry: Skin, Inhalation, Eyes, Ingestion

Skin Contact: Usually no effect, however, as with any chemical, prolonged, excessive, or repeated exposure may cause mild to moderate skin irritation, exhibited by redness, drying and cracking of unprotected skin.

Eye Contact: May irritate with slight pain and redness.

Respiratory/ Inhalation: Usually none, however, as with any chemical product, some irritation may occur.

Ingestion: Amounts transferred to mouth by fingers, etc, during normal operation should not cause injury.

Medical conditions generally aggravated by exposure: None known, however any chemical product may enhance allergies already present in certain individuals.

### **SECTION IV – FIRST AID INSTRUCTIONS**

Skin Contact: Remove contaminated clothing. Wash affected area with soap and rinse with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse.

Eye Contact: Flush with water for at least 15 minutes holding eyelid open. Get medical attention if symptoms persist.

Respiratory / Inhalation: Remove to fresh air, if symptoms develop get medical attention.

Ingestion: Do not induce vomiting. Obtain medical attention if symptoms develop.

#### **SECTION V – FIRE FIGHTING INSTRUCTIONS**

Flash Point: 205°F (T.C.C.)

Unusual Fire and Explosion Hazards: None

Flammable Limits: LEL: N/A, UEL: N/A

Extinguishing Media: Carbon Dioxide, Foam, Dry Chemicals

Fire Fighting Procedures: Air mask and procedures for fighting chemical fires

#### SECTION VI -ACCIDENTAL RELEASE MEASURES

Special Precautions: None known. Follow general precautions shown below.

Environmental precautions: Prevent material from entering floor drains, sewers, or

any bodies of water.

Clean up methods: Scoop up into waste container or soak up with absorbent

material. Store in a closed container until disposal.

#### SECTION VII - HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin, and clothing. Avoid

breathing vapors. Wash hands thoroughly at mealtime

and end of shift.

Storage: Store in a cool location (60-90°F) in a well ventilated

area away from sources of heat. Keep container tightly

closed when not in use.

Personal Protection: Wear personal protective equipment as outlined in

Section VIII of this MSDS.

## SECTION VIII - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Respiratory Protection: No respiratory protection required, but normal good

ventilation is recommended. Forced ventilation may be required if concentrations exceed normal use exposure.

Skin Protection: Use impermeable gloves (neoprene, butyl rubber,

natural rubber), as necessary to avoid skin contact, as well as proper clothing or plastic apron. Wash hands

before eating, drinking, or using restroom.

Eye Protection: Safety goggles or glasses are recommended.

Eye Washes: Eye wash stations should be located within 100 feet or

10 second walk of the work area.

### **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

Physical state: Liquid Color: Brown Odor: Mild > 300°F **Boiling Point:** Specific Gravity: 1.1 Vapor Density (Air = 1): N/A Vapor Pressure (mm Hg.): < 5 @ 30°F N/A pH: Melting Point: N/A **Evaporation Rate:** N/A Solubility in Water: **Partial** V.O.C. Content: < 0.1%

#### SECTION X -STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Hazardous decomposition byproducts: Oxides of carbon, Oxides of nitrogen Reducing agents. Strong Oxidizers

### **SECTION XI – TOXICOLOGICAL INFORMATION**

Product Toxicity: Estimated oral LD50 greater than 10,000 mg/kg.

Estimated dermal LD50 greater than 5000 mg/kg.

Carcinogen Status

Ingredients: Health Effect NTP IARC OSHA

Polyglycol Dimethacrylate ALG IRR NO NO NO Saccharin N/A NO NO NO NO

Cumene Hydroperoxide COR, ALG, IRR NO NO NO NO

Abbreviations: ALG Allergen IRR Irritant COR Corrosive

## **SECTION XII – ECOLOGICAL DATA**

Water Hazard: Do not allow entry into drains or surface water

#### **SECTION XIII - DISPOSAL CONSIDERATIONS**

Recommended method of disposal: Unused product: Dispose of according to Federal, State

and local regulations.

Page 3 of 4 Product: Hydraulic Sealant

EPA Hazardous Waste Number; Not an RCRA hazardous waste.

#### SECTION XIV - SHIPPING AND TRANSPORTATION INFORMATION

U.S. Department of Transportation Ground (49 CFR

Proper Shipping Name: Unrestricted

Hazard Class or Division:
Identification Number:
Packing Group:
None

International Air Transportation (OCAO/IATA):

Proper Shipping Name: Unrestricted Hazard Class or Division: None Identification Number: None Packing Group: None

Water Transportation (IMO/IMDG):

Marine Pollutant:

Proper Shipping Name: Unrestricted Hazard Class or Division: None Identification Number: None Packing Group: None

## **SECTION XV - REGULATORY INFORMATION**

<u>United States Regulatory Information</u>

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on

None

the Toxic Substances Control Act Inventory.

CERCLA/SARA Section 311/312: This product contains the following toxic

chemical subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-

To-Know Act of 1986 (40 CFR): Cumene

hydroperoxide.

California Proposition 65: No California Proposition 65 listed chemicals are known

to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing

on the Domestic Substances List.

WHMIS hazard class D.2.B

#### **SECTION XVI – OTHER INFORMATION**

Revision date: 10/20/16

By: Human Resource Department

DISCLAIMER: The information on this material safety data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user. SAF-T-LOK International Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of SAF-T-LOK International Corporation products.

Page 4 of 4 Product: Hydraulic Sealant